

SINCE 1978




LEADING LIGHT

Product Datasheet

vkleadinglight.gr


Aria

VK/04690/PE/D/CG/W/60



Champagne Gold. 3000K. 60W. 4310lm. AC220-240V. Up80°, Down45°.
Led TOYONIA SMD. Driver Anway. Ceiling/pendant. -20°C → 45°C.
50.000hrs. Clicks 20.000. Dimmable Yes, Triac. CRI>90.
Aluminum+silicone. IP20

IP20 TRIAC   

Dimensions	Gallery	Downloads
	 	  

Technical Specifications	
Kelvin	3000K
Power	60W
Voltage	AC220-240V
Fitting	Pendant
Type	Light
Safety class	
Light source	TOYONIA SMD
IP Rating	IP20
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Clicks	20,000
Driver	Anway
Cable Length	300cm (max)
Working temperature	-20°C-45°C
PAGE	70 New Products 2026
NICKNAME	Aria

Physical Specifications	
Family	Aria
Color	Champagne gold
Material	Aluminum+Silicone
Width	30cm
Length	58.8cm
Height	6cm (+300cm of cable)
Net weight of product (kg)	3.40kg
Gross weight with inner box (kg)	5.40kg
Width (inner box)	37.4cm
Length (inner box)	66.8cm
Height (inner box)	14.7cm

Illumination Data	
Lumen	4310lm
Beam angle	Up80° Down45°
Lighting direction	

Packing Info	
Pcs/carton	1pc

Certification & Warranty	
Guarantee	2 years

Energy Label

ENERGY

VK LEADING LIGHT

VK/04690/PE/D/CG/W/60

A

B

C

D

E

F

G

60

kWh/1000h



2019/2015