

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Diva

VK/04734/WA/B/W

Black. 3000K. 5W. 323lm. AC220-240V. 120°. LED Lumileds. Driver
Eaglerise. Wall. -20°C → 50°C. 50.000hrs. Dimmable No. CRI>80.
Aluminum + PC. IP20




IP20



Dimensions	Gallery	Downloads

VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	5W
Voltage	AC220-240V
Fitting	Wall
Type	Light
Safety class	⏚
Light source	Lumileds
IP Rating	IP20
CRI	CRI>80
Dimmable	
Lifetime	50.000hrs
Clicks	40,000
Driver	Eaglerise
Working temperature	-20°C-50°C
PAGE	186 New Products 2026
NICKNAME	Diva

Physical Specifications	
Family	Diva
Color	Black
Material	Aluminum + PC
Width	ø14cm
Length	ø14cm
Height	10.1cm
Net weight of product (kg)	0.53kg
Gross weight with inner box (kg)	0.65kg
Width (inner box)	16.5cm
Length (inner box)	16.5cm
Height (inner box)	15cm

Illumination Data

Lumen	323lm
Beam angle	120°
Lighting direction	

Packing Info

Pcs/carton	18pcs
------------	-------

Certification & Warranty

Guarantee	3 years
-----------	---------

Energy Label



VK LEADING LIGHT
VK/04734/WA/B/W

A	→
B	→
C	→
D	→
E	→
F	→
G	←

5 kWh/1000h  2019/2015