

SINCE 1978



# Product Datasheet

LEADING LIGHT

vkleadinglight.gr

Ellis

## VK/04155/WA/W/W

Wall light led, recessed, 100-265V, 3W, 3000K, 110lm, 30°, CRI>80, IP20, white



IP20



Dimensions	Gallery	Downloads
<p>Technical drawing showing dimensions: 15cm, 21cm, 4cm, 7.2cm, 0.3cm, 6cm, 7.2cm. Cut hole: 19x6cm, 6cm.</p>	<p>Reading Lights Led Ellis</p>	<p>FOTO EOLO CE</p>

VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	3W
Voltage	100-265V
Fitting	Reading Led
Type	Light
Safety class	
Light source	Cree
IP Rating	<b>IP20</b>
CRI	CRI>80
Dimmable	
Lifetime	50.000hrs
Working temperature	-20-40°C
PAGE	285 Decorative 2024
NICKNAME	Ellis

Physical Specifications	
Color	White
Material	Aluminium
Width	7.2cm
Length	21cm (adjustable body 15x4cm)
Height	0.3cm
Net weight of product (kg)	0.75
Gross weight with inner box (kg)	0.76
Gross weight with master box (kg)	16.3
Cut out	19x6cm (depth 6cm)

Illumination Data	
Lumen	110lm
Beam angle	30°
Lighting direction	

Packing Info	
Pcs/carton	20pcs

Certification & Warranty	
Guarantee	2 years