


ECLIPSE 736B-G23X1D-01

Recessed ceiling ECLIPSE GU5.3 50W White



ECLIPSE is a recessed light fixture that has been manufactured in steel and with an anti-glare element discrete design. This LED Recessed is a solution high efficiency LED lighting for homes, hotels or residential areas and has two color temperatures: a warm light (3000K) and other cold light (4000K).

GENERAL DATA

Category	Recessed
Family	Eclipse
Finish	[01] White
Location	Indoor
Installation	Ceiling
Body material	Steel
Frame material	Steel
ETIM class	EC001744
EAN	8433264012700

LIGHT SOURCES AND BEAMS

Sources	GU5.3 QR-CBC 51 50W max.
Energy efficiency	A++, A+, A, B, C
Lamp included	No
Beam	Direct symmetric

TECHNICAL DATA

Dimensions	Height x Diameter (mm): 70 x 102
IP	IP20
Protection class	Class III
Frequency	50/60 Hz
Input voltage	12V AC V
Auxiliary gear	Without equipment, needed
Weight	0.64 Kg
Cut hole dimensions	Diameter (mm): 75
ECORAE category I	CAT-A





NOTES

Finishes upon request: Chrome

ECLIPSE 736B-G23X1D-01

Recessed ceiling ECLIPSE GU5.3 50W White

RECOMMENDED ACCESSORIES

<p>B02T-X3360D-02 Power supplies ACCESORIOS Black</p>	<p>Input voltage 220-240V AC Frequency 50/60 Wattage (W) 60.0 IP IP20</p>
<p>B02T-X3370D-02 Power supplies ACCESORIOS Black</p>	<p>Input voltage 220-240V AC Frequency 50/60 Wattage (W) 50.0 IP IP20</p>
  <p>368C-L2305D-01 Lamp LED PRO GU5,3 LED Bulb 4W 300lm CRI80 3000K 60° White</p>	<p>Input voltage 12V AC Frequency 50/60 Wattage (W) 4.0 IP IP20 Protection class Class III</p>
  <p>369C-L2308D-01 Lamp LED PRO GU5,3 LED Bulb 7.60W 550lm CRI80 3000K 45°</p>	<p>Input voltage 12V AC Frequency 50/60 Wattage (W) 7.6 IP IP20 Protection class Class III</p>