

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Candle

VK/05177/EI/W

Led lamp, E14, 9W, 3000K, 810lm, candle, plastic, white



IP20   

Dimensions	Gallery	Downloads																																																												
	Led Lamp - E14/CFL Candle-Plastic MODEL7 <table><tr><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td></tr><tr><td>104</td><td>37</td><td>104</td><td>37</td><td>104</td><td>37</td><td>104</td><td>37</td><td>104</td><td>37</td></tr></table> MODEL7-3000K <table><tr><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td></tr><tr><td>104</td><td>37</td><td>104</td><td>37</td><td>104</td><td>37</td><td>104</td><td>37</td><td>104</td><td>37</td></tr></table> MODEL7 <table><tr><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td><td>MODEL7-3000K</td></tr><tr><td>104</td><td>37</td><td>104</td><td>37</td><td>104</td><td>37</td><td>104</td><td>37</td><td>104</td><td>37</td></tr></table>	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	104	37	104	37	104	37	104	37	104	37	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	104	37	104	37	104	37	104	37	104	37	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	104	37	104	37	104	37	104	37	104	37	 
MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K																																																					
104	37	104	37	104	37	104	37	104	37																																																					
MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K																																																					
104	37	104	37	104	37	104	37	104	37																																																					
MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K	MODEL7-3000K																																																					
104	37	104	37	104	37	104	37	104	37																																																					

Technical Specifications	
Kelvin	3000K
Power	9W
Voltage	175-265V
Lampholder	E14
Fitting	Ceiling
Type	Led lamps E14
Light source	SMD 2835
IP Rating	IP20
CRI	Ra>80
Dimmable	
Lifetime	25.000 hrs
Clicks	15K clks
Working temperature	-20°C - 45°C
PAGE	52 Electrical

Physical Specifications	
Color	White
Material	Plastic, Alu
Width	37mm
Height	104mm

Illumination Data	
Lumen	810lm
Beam angle	200°

Packing Info	
Pcs/carton	100pcs

Certification & Warranty	
Guarantee	2 years

Energy Label



VK LEADING LIGHT
VK/05177/EI/W

A

B

C

D

E

F

G

9

kWh/1000h



2019/2015