

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Home

VK/05145/E/D/W/W

Led lamp, E27, 12W, 3000K, 950lm, Dimmable, Par30



IP20

Dimensions	Gallery	Downloads																																																						
 94mm 95mm	 Led lamp - 6500 K (5000 K, 6500 K) <table><thead><tr><th>Parameter</th><th>Value</th><th>Unit</th></tr></thead><tbody><tr><td>Power (P)</td><td>12</td><td>W</td></tr><tr><td>Current (I)</td><td>0.2</td><td>A</td></tr><tr><td>Voltage (U)</td><td>230</td><td>V</td></tr><tr><td>Frequency (f)</td><td>50</td><td>Hz</td></tr><tr><td>Power factor (PF)</td><td>0.95</td><td></td></tr><tr><td>Light output (lm)</td><td>950</td><td>lm</td></tr><tr><td>Color temperature (K)</td><td>6500</td><td>K</td></tr><tr><td>Beam angle (°)</td><td>27</td><td>°</td></tr></tbody></table>  LED lamp - 3000 K <table><thead><tr><th>Parameter</th><th>Value</th><th>Unit</th></tr></thead><tbody><tr><td>Power (P)</td><td>12</td><td>W</td></tr><tr><td>Current (I)</td><td>0.2</td><td>A</td></tr><tr><td>Voltage (U)</td><td>230</td><td>V</td></tr><tr><td>Frequency (f)</td><td>50</td><td>Hz</td></tr><tr><td>Power factor (PF)</td><td>0.95</td><td></td></tr><tr><td>Light output (lm)</td><td>950</td><td>lm</td></tr><tr><td>Color temperature (K)</td><td>3000</td><td>K</td></tr><tr><td>Beam angle (°)</td><td>27</td><td>°</td></tr></tbody></table>	Parameter	Value	Unit	Power (P)	12	W	Current (I)	0.2	A	Voltage (U)	230	V	Frequency (f)	50	Hz	Power factor (PF)	0.95		Light output (lm)	950	lm	Color temperature (K)	6500	K	Beam angle (°)	27	°	Parameter	Value	Unit	Power (P)	12	W	Current (I)	0.2	A	Voltage (U)	230	V	Frequency (f)	50	Hz	Power factor (PF)	0.95		Light output (lm)	950	lm	Color temperature (K)	3000	K	Beam angle (°)	27	°	 
Parameter	Value	Unit																																																						
Power (P)	12	W																																																						
Current (I)	0.2	A																																																						
Voltage (U)	230	V																																																						
Frequency (f)	50	Hz																																																						
Power factor (PF)	0.95																																																							
Light output (lm)	950	lm																																																						
Color temperature (K)	6500	K																																																						
Beam angle (°)	27	°																																																						
Parameter	Value	Unit																																																						
Power (P)	12	W																																																						
Current (I)	0.2	A																																																						
Voltage (U)	230	V																																																						
Frequency (f)	50	Hz																																																						
Power factor (PF)	0.95																																																							
Light output (lm)	950	lm																																																						
Color temperature (K)	3000	K																																																						
Beam angle (°)	27	°																																																						

Technical Specifications	
Kelvin	3000K
Power	12W
Voltage	220-240V
Lampholder	E27
Fitting	Ceiling
Type	PAR30-PAR38
Light source	HIGH power
IP Rating	IP20
CRI	Ra>80
Dimmable	
Lifetime	25.000 hrs
Clicks	25K clks
Working temperature	-40°C - 60°C
PAGE	75 Electrical

Physical Specifications	
Color	White
Material	Plastic, Alu
Width	95mm
Height	98mm

Illumination Data	
Lumen	950lm
Beam angle	38°

Packing Info	
Pcs/carton	40pcs

Certification & Warranty	
Guarantee	2 years

Energy Label



VK LEADING LIGHT

VK/05145/E/D/W/W

A

B

C

D

E

F

G

12

kWh/1000h



2019/2015