

SINCE 1978



LEADING LIGHT

# Product Datasheet

## Led Lamps G9 / G4

**VK/05165/W**

Led lamp, G9, 8W, 3000K, 760lm



**IP20**



Dimensions

Technical drawing of the LED lamp. It shows a side view of the lamp with a main body diameter of 70 mm and a base diameter of 20 mm. The drawing is a simple line art representation.

Gallery

A collection of LED lamp models and their specifications. The models are: MINI 180, MINI 180, MINI 180, and MINI 180. Each model is shown with a side view and a top view. The specifications are listed in a table below each model.

| Model    | Power (W) | Length (mm) | Width (mm) | Height (mm) | Weight (g) |
|----------|-----------|-------------|------------|-------------|------------|
| MINI 180 | 180       | 180         | 70         | 180         | 180        |
| MINI 180 | 180       | 180         | 70         | 180         | 180        |
| MINI 180 | 180       | 180         | 70         | 180         | 180        |
| MINI 180 | 180       | 180         | 70         | 180         | 180        |

Downloads

FOTO TOLO logo

CE logo

## VK Leading Light

Since 1978

| Technical Specifications |                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------|
| Kelvin                   | 3000K                                                                             |
| Power                    | 8W                                                                                |
| Voltage                  | 220-240V                                                                          |
| Lampholder               | G9                                                                                |
| Fitting                  | Ceiling                                                                           |
| Type                     | Led lamps G9                                                                      |
| Light source             | SMD 2835                                                                          |
| IP Rating                | <b>IP20</b>                                                                       |
| CRI                      | Ra>80                                                                             |
| Dimmable                 |  |
| Lifetime                 | 25.000 hrs                                                                        |
| Clicks                   | 12.5K clks                                                                        |
| Working temperature      | -20°C - 45°C                                                                      |
| PAGE                     | 66 Electrical                                                                     |

| Physical Specifications           |                  |
|-----------------------------------|------------------|
| Color                             | White            |
| Material                          | Ceramic, Plastic |
| Width                             | 20mm             |
| Height                            | 70mm             |
| Net weight of product (kg)        | 0.024            |
| Gross weight with inner box (kg)  | 0.027            |
| Gross weight with master box (kg) | 15               |

| Illumination Data |       |
|-------------------|-------|
| Lumen             | 760lm |
| Beam angle        | 350°  |

| Packing Info |        |
|--------------|--------|
| Pcs/carton   | 100pcs |

| Certification & Warranty |         |
|--------------------------|---------|
| Guarantee                | 2 years |

Energy Label



VK LEADING LIGHT  
VK/05165/W

A

B

C

D

E

F

G

8

kWh/1000h



2019/2015